

Date: 15.12.2025

To,
Ministry of Environment, Forest and Climate Change,
Integrated Regional Office, Gandhinagar,
Karmayogi Bhawan Block-3, F-2 Wing,
5th Floor, Near CH-3 Circle, Sector-10A,
Gandhinagar – 382010.

SUB: Six Monthly Environmental Compliance Report for the period from April-2025 to Sep-2025 of Residential Building Construction Project at Plot No: 90, Vill: Vesu, Vesu- Magdalla, Surat by M/s Larsen & Toubro Limited.

REF: EC Letter No: SEIAA/GUJ/EC/8(a)/1213/2015, Dated: 31/03/2015

Dear Sir,

This has reference to EC vide letter No: SEIAA/GUJ/EC/8(a)/1213/2015, Dated: 31/03/2015 on the above subject. As per Other Condition Clause No. 83 of the said letter, we are submitting Six Monthly Environmental Compliance Report for the period from April-2025 to Sep-2025 for your kind perusal.

Enclosed:

1. Six monthly EC Compliance Report - April-2025 to September-2025
2. Annexures

Thanking you.

Yours faithfully,

For Larsen and Toubro Limited



(AUTHORIZED SIGNATORY)

Date: 15.12.2025

To,
Member Secretary (SEIAA),
Gujarat Pollution Control Board
Paryavaran Bhavan, Sector-10A,
Gandhinagar-382010.

SUB: Six Monthly Environmental Compliance Report for the period from April-2025 to Sep-2025 of Residential Building Construction Project at Plot No: 90, Vill: Vesu, Vesu- Magdalla, Surat by M/s Larsen & Toubro Limited.

REF: EC Letter No: SEIAA/GUJ/EC/8(a)/1213/2015, Dated: 31/03/2015

Dear Sir,

This has reference to EC vide letter No: SEIAA/GUJ/EC/8(a)/1213/2015, Dated: 31/03/2015 on the above subject. As per Other Condition Clause No. 83 of the said letter, we are submitting Six Monthly Environmental Compliance Report for the period from April-2025 to Sep-2025 for your kind perusal.

Enclosed:

1. Six monthly EC Compliance Report - April-2025 to September-2025
2. Annexures

Thanking you.

Yours faithfully,

For Larsen and Toubro Limited



(AUTHORIZED SIGNATORY)

Date: 15.12.2025

To,
Member Secretary,
Gujarat Pollution Control Board
Paryavaran Bhavan,
Sector-10A,
Gandhinagar-382010.

SUB: Six Monthly Environmental Compliance Report for the period from April-2025 to Sep-2025 of Residential Building Construction Project at Plot No: 90, Vill: Vesu, Vesu- Magdalla, Surat by M/s Larsen & Toubro Limited.

REF: EC Letter No: SEIAA/GUJ/EC/8(a)/1213/2015, Dated: 31/03/2015

Dear Sir,

This has reference to EC vide letter No.: SEIAA/GUJ/EC/8(a)/1213/2015, Dated: 31/03/2015 on the above subject. As per Other Condition Clause No. 83 of the said letter, we are submitting Six Monthly Environmental Compliance Report for the period from April-2025 to Sep-2025 for your kind perusal.

Enclosed:

1. Six monthly EC Compliance Report - April-2025 to September-2025
2. Annexures

Thanking you.

Yours faithfully,

For Larsen and Toubro Limited



(AUTHORIZED SIGNATORY)

Your (Half Yearly Compliance Report) has been Submitted with following details

Proposal No	SEIAA/GUJ/EC/8(a)/1213/2015
Compliance ID	1018892578
Compliance Number(For Tracking)	EC/M/COMPLIANCE/1018892578/2025
Reporting Year	2025
Reporting Period	01 Dec(01 Apr - 30 Sep)
Submission Date	15-12-2025
RO/SRO Name	Dr G Trinadh Kumar
RO/SRO Email	agmu174.ifs@nic.in
State	GUJARAT
RO/SRO Office Address	Integrated Regional Offices, Gandhi Nagar

Note:- SMS and E-Mail has been sent to Dr G Trinadh Kumar, GUJARAT with Notification to Project Proponent.

SIX MONTHLY EC COMPLIANCE REPORT

(EC Clearance Vide Letter No: SEIAA/GUJ/EC/8(a)/1213/2015, dated: 31/03/2015)

For

Residential Building Construction Project

By

M/s. Larsen & Toubro Limited

For period of

April 2025 to September 2025

At

Plot No: 90, Vill: Vesu, Vesu-Magdalla, Surat, Gujarat.

Prepared By:



GREEN CIRCLE INC.

QCI NABET ACCREDITATION NO.: NABET/EIA/24-27/IA0138 (Rev.01)

(Valid up to 13/02/2027)

Green Empire Above Axis bank, Near Yash Complex, Gotri
Road, Vadodara, Gujarat 390021

E-mail: info@greencircleinc.com

EC NO	SEIAA/GUJ/EC/8(a)/1213/2015
Compliance Period	April 2025 to September 2025
Project Name	M/s. Larsen & Toubro Limited
Project Location	Plot No: 90, Vill: Vesu, Vesu- Magdalla, Surat.

1. Conditions

Sr. No.	EC Conditions	Compliance status
A1 CONSTRUCTION PHASE		
A.1.1 WATER		
1	Fresh water requirement during the construction phase shall be 50 KL/day and it shall be met through the water tanker suppliers. No ground water shall be tapped during the construction phase.	Complied. Fresh water during construction phase has been met through tankers without tapping groundwater.
2	Sewage generated during the construction phase shall be disposed off through the septic tank - soak pit.	Noted & Complied. During the construction phase, the sewage generated was disposed of through a septic tank–soak pit system, and the total wastewater generated was adequately managed without any discharge outside the project premises.
3	Water demand during construction shall be reduced by use of curing agents, super plasticizers and other best construction practices.	We used curing agents, super plasticizers, and other best construction practices to reduce water demand.
A.1.2 AIR		
4	Peripheral barricading shall be done to prevent dust emission spreading outside the project premises.	Complied. Peripheral barricading has been provided with 15 m height to prevent dust emission.
5	Water sprinkling shall be done in vulnerable areas for controlling fugitive emission.	Complied.
6	Material shall be covered during transportation to avoid the fugitive emission.	Complied.
7	The roads inside the project area and roads connected to the main road shall be paved or shall be water sprinkled to avoid the fugitive emissions during construction.	Noted & Complied. During the construction phase, internal roads and approach roads were regularly water-sprinkled to minimize fugitive dust emissions.

8	The ambient air quality shall be monitored in and around the project area during construction phase.	The ambient quality was monitored for the project as well as surrounding area during the construction phase.
9	The construction materials and debris shall be properly stored and handled to avoid negative impacts such as air pollution and public nuisances by blocking the roads and public passages.	Excavated material & construction debris were sprinkled with water and were kept moist to avoid dust emission. Construction material storage area was covered with sheet, to reduce dust/particulate emission.
A.1.3 SAFETY		
10	Structural design of the project shall strictly adhere to the seismic zone norms for earthquake resistant structures.	Noted & Complied. All structural designs have been developed in strict accordance with the prescribed seismic zone norms to ensure safety and earthquake-resistant construction.
11	During construction Personal Protective Equipment shall be provided to the construction workers and its usage shall be ensured and supervised.	Complied. During construction phase personal protective equipment's have been provided to the construction workers to avoid accidents.
12	First Aid Box shall be made readily available in adequate quantity at all the times.	Complied. All required first aid facilities is provided at project site during construction phase. Same is providing during operational phase also to tackle with small emergency.
13	Training shall be given to all workers on construction safety aspects.	Complied. Proper First-Aid training has been provided to the workers, and adequate fire-fighting measures have been implemented at the site.
14	The project proponent shall strictly comply with the Gujarat Building and other Construction Workers Act & Rules.	Complied by strictly adhering to the mentioned Act & Rules.
A.1.4 NOISE		
15	The overall noise level in and around the project area shall be kept well within the prescribed standards by providing noise control measures including acoustic insulation, hoods, silencers, enclosures vibration dampers etc. on all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed under the Environment (Protection) Act and Rules.	Noted and complied by implementing noise control measures as per the Environment (Protection) Act and Rules.

16	The noise generating equipment, machinery and vehicles shall not be operated during the night hours and shall be maintained properly to avoid generation of high noise due to lack of wear and tear.	Being Complied. The noise generating equipment's, machinery and vehicles have not operated during the night hours and will be maintained properly.
17	Use of diesel generator sets during construction phase shall be strictly with acoustic enclosure and shall confirm to EPA Rules for air and noise emission standards.	Complied.
A2 OTHER CONDITIONS		
18	The safe disposal of wastewater and solid wastes generated during the construction phase shall be ensured.	Noted & Complied.
19	The NBC norms shall be strictly adhered to.	Complied.
20	Barricade of adequate height shall be provided on the periphery of the construction site with adequate signages.	Complied. Barricade is provided with adequate signage
21	All topsoil excavated during construction activity shall be used in horticultural/ landscape development within the project site.	Complied. All topsoil excavated during construction activity is used in horticulture/landscape development within the project site.
22	The debris generated during the construction work shall be re-used in filling and resurfacing of the area and recyclable scrap shall be sold to vendors.	Complied. The construction debris was reused for filling and resurfacing.
23	Vehicles hired for bringing construction material at site shall be in good conditions and confirm to applicable air and noise emission standards and shall be operated only during day time and non-peak hours.	Complied. All vehicles hired for transporting construction materials were maintained in good condition, met the required air and noise emission standards.
24	Project proponent shall ensure use of eco-friendly building materials including fly ash bricks, fly ash paving blocks and Ready mix concrete [RMC] in the project.	Complied. The building was constructed using the Green Buildings concept.
25	Necessary sanitary, hygiene and first aid measures shall be provided before starting the	Noted & Complied by providing necessary sanitary, hygiene, and first-aid facilities before commencement of construction

	construction activities and to be maintained throughout the construction phase.	activities and were properly maintained throughout the construction phase.
26	Adequate accommodation, drinking water, sanitary facilities, first aid center, utensils and cooking fuel shall be provided for construction workers at the site.	Complied. Accommodation, drinking water, sanitary facilities, first aid centre, utensils and cooking were provided for construction workers at the site.
27	Adequate care shall be taken to see that the surrounding landscape at the project site is not environmentally degraded.	Complied. No surrounding landscape was environmentally degraded as Green Building Concept was implemented for the construction.
28	Fly ash shall be used in the construction wherever applicable as per provisions of Fly Ash Notification under the E.P. Act, 1986.	Complied. Fly ash was used during the construction phase only.
29	Used cement bags, waste paper and cardboard packing material shall be sold off to recyclers. Residual steel scrap shall be collected at site and sold to recyclers.	Noted and complied. Construction waste and steel scrap were properly collected and sent to authorize recyclers.
30	Only lead free paints shall be used in the project.	Complied.
A.3 OPERATION PHASE		
A.3.1 WATER		
31	Total water requirement during the operation phase shall be 256.0 KL/day, out of which fresh water requirement shall be met through water supply system of Surat Canal Division and the water requirement for flushing and gardening shall be met through treated grey sewage. No ground water shall be tapped during the operation phase. Metering of the water shall be done and its records shall be maintained.	Complied. At present, water requirement is being met from Surat Canal Division water supply. Water meter has been installed and its records are being maintained.

32	Sewage generation during operation phase shall be 200.0 KL/day, out of which entire quantity of grey sewage shall be segregated and it shall be treated in a proposed Sewage Treatment Plant for grey sewage.	<p>Complied.</p> <p>Sewage generation during operation phase is not exceeding 200 KLD and is being treated in STP.</p> 
33	The unit shall install and efficiently operate STP of adequate capacity for treating grey water to be generated during operation phase to achieve the GPCB norms at the STP outlet. Treated grey sewage conforming to GPCB norms shall be utilized for gardening & flushing purpose by providing dual plumbing system. Only remaining quantity of treated grey sewage along with the black sewage from toilet blocks shall be disposed off through drainage line of SMC.	<p>Complied.</p> <ul style="list-style-type: none"> ▪ At present, generated sewage is being treated in onsite STP plant, and treated sewage is being utilized for gardening and flushing purpose. ▪ Analysis report of STP inlet and outlet has been attached as Annexure 2.
34	A proper logbook of STP operation and also showing the quantity of treated sewage utilization shall be maintained and furnished to the GPCB from time to time.	At present, logbook for STP operation is being maintained.
35	Dual plumbing system with separate tanks and lines shall be provided for utilization of treated sewage for flushing.	Dual plumbing system has been provided for reuse of treated sewage water for flushing & for gardening purposes.

36	Low water consuming devices shall be provided. Fixtures for showers, toilet, flushing and drinking shall be of low flow either by use of aerators/ diffusers or pressure reducing devices etc.	<p>Complied.</p> <p>Low water consuming devices have been provided. Pressure reducing devices are also provided for showers, toilet, flushing and drinking.</p>
37	No bore well shall be constructed and existing bore well/s, if any, shall be either sealed or converted into the recharge well upon completion of the construction work.	<p>Noted and complied.</p>
38	Rain water harvesting from rooftop and paved areas and ground water recharge through 4 nos. of bore holes shall be carried out as per the details submitted. Before recharging the run off, pre-treatment must be done to remove suspended matter.	<p>Complied.</p> <p>Recharge pits for rainwater harvesting have been provided within premises. Proper pretreatment will be provided before recharging the runoff.</p> <p>Photographs of Rainwater harvesting pits has been attached as below.</p> <div style="text-align: center;">  <p style="text-align: center;">Water Recharge Well</p> </div>
A.3.2 AIR		
39	D. G. Sets, if any provided in future as backup power shall be of enclosed type and conform to prescribed standards under the EPA rules. Necessary acoustic enclosures shall be provided at diesel generator set to mitigate the impact of noise.	<p>Complied.</p> <p>At present, 2 nos. of D. G. sets of 200 kVA & 380 kVA has been kept with an acoustic enclosure, used as standby during emergency of power failure.</p>

																							
40	The stack height of the D.G. Sets shall be equal to the height needed for the combined capacity of all proposed D.G. Sets.	<p>Complied.</p> <p>Dedicated stack heights of 8 m for the 200 KVA DG set and 9 m for the 380 KVA DG set have been provided in compliance with regulatory requirements.</p>																					
41	The gaseous emissions from the D.G. Sets shall conform to the standards prescribed by GPCB. At no time, the emission levels shall go beyond the stipulated standards.	<p>Noted & Complied.</p> <p>Stack analysis has been carried out in the six months, Stack analysis report has been attached as <i>Annexure 3</i>.</p>																					
A.3.3 SOLID WASTE																							
42	The solid waste generated shall be properly collected and segregated at source. The recyclable material shall be sold to vendors whereas other garbage shall be disposed off properly as per the provisions made by the SMC.	<p>Complied.</p> <p>Segregation for Wet & Dry waste is being done by providing separate collection bins for solid waste collection. The collected waste is then sent to the SMC-approved vendor, Biofics Private Limited, for further processing.</p> <table border="1" data-bbox="690 1209 1393 1486"> <thead> <tr> <th>Sr. No.</th> <th>Month</th> <th>Waste collected by Biofics (kg)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>April'25</td> <td>4841</td> </tr> <tr> <td>2</td> <td>May'25</td> <td>4765</td> </tr> <tr> <td>3</td> <td>June'25</td> <td>4535</td> </tr> <tr> <td>4</td> <td>July'25</td> <td>4268</td> </tr> <tr> <td>5</td> <td>Aug'25</td> <td>3900</td> </tr> <tr> <td>6</td> <td>Sept'25</td> <td>3675</td> </tr> </tbody> </table>	Sr. No.	Month	Waste collected by Biofics (kg)	1	April'25	4841	2	May'25	4765	3	June'25	4535	4	July'25	4268	5	Aug'25	3900	6	Sept'25	3675
Sr. No.	Month	Waste collected by Biofics (kg)																					
1	April'25	4841																					
2	May'25	4765																					
3	June'25	4535																					
4	July'25	4268																					
5	Aug'25	3900																					
6	Sept'25	3675																					
43	Used oil shall be sold only to the registered recycler.	<p>Agreed & Complied.</p> <p>Used oil generation is minimal and the same is utilized inhouse for oiling/greasing purpose.</p>																					
44	The project must strictly comply with the rules and regulations with regards to handling and disposal of Hazardous waste in accordance with the Hazardous Waste (Management, Handling and Transboundary) Rules 2008. Authorization from the GPCB	<p>Noted & Agreed.</p> <p>This is a residential colony. Hence, Hazardous waste generation is NIL.</p>																					

	must be obtained for collection/treatment/storage/disposal of hazardous wastes.	
A.3.4 SAFETY		
45	All the requirements for high rise buildings in terms of fire and life safety shall be fulfilled in accordance to the Part-4 “Fire and Life Safety” of NBC – 2005.	Noted & Agreed.
46	The planning, design and construction of all buildings shall be such as to ensure safety from fire.	Complied. The planning, designs and construction of all buildings as per the norms so as to ensure safety from fire.
47	Firefighting facilities like fire hydrant system, fire extinguishers, periodical training related to firefighting, minimum fire water reservoir of 10 KL, automatic sprinkler system, fire detection system with alarms & automatic fire extinguishers etc. shall be provided as proposed.	Complied. A fire hydrant system is installed, along with approximately 300 fire extinguishers and automatic water sprinkler systems on the ground floor of each building and in the basement parking area. 
48	Compulsory Training to the staff for the first aid and firefighting along with regular mock drill shall be made as an integral part of the emergency management plan of the project.	Complied. First-aid and firefighting training was provided to the staff, and regular mock drills were conducted as an integral part of the project’s emergency management plan.
49	Underground fire water storage tanks and terrace water storage tanks of adequate capacity shall be provided as proposed. Adequate provision shall be made to ensure that water from the Fire Water Tank shall not be used for any other purpose.	Complied. A total of 8 tanks, each with a capacity of 21 KL, have been provided. In addition, a water reservoir with a storage capacity of 37 lakh liters is also available.
50	Dedicated power back up system shall be provided in the case of power failure & emergency of fire water pumps.	Complied. 2 nos. of D. G. sets of 380 kVA and 200 kVA have been kept that are to be used as standby during emergencies of power failure.

51	First Aid Boxes shall be made readily available in adequate quantity at all the times.	<p>First aid boxes have been provided at various locations to tackle with small emergency.</p> 
52	Main entry and exit shall be separate and clearly marked in the facility.	<p>Complied.</p> <p>Separate entry and exit have been provided and clearly marked in the facility.</p>
53	Necessary emergency lighting system along with emergency power back up system shall be provided. Further, necessary auto glow signage at all appropriate places shall be provided to guide the people towards exits and assembly points during emergency.	<p>Complied.</p> <p>Emergency public address system arrangement along with emergency power back up system & auto glow signage have been provided.</p>
54	All the staircases and lifts shall open out at ground level from the highest point of building [with access from each floor] for emergency evacuation. Two staircases shall be provided in each building having floor area more than 500 m2 on each floor.	<p>Complied.</p>

		<p>Staircase and lifts have been provided for emergency evacuation. All staircases and lifts have been provided with direct access to the ground level from the highest point of the building to ensure safe emergency evacuation for the proposed expansion.</p> 
55	<p>Sufficient peripheral open passage shall be kept in the margin area for free movement of fire tender/ emergency vehicle around the premises.</p>	<p>Complied.</p> <p>Adequate space has been provided for unobstructed and easy movement of vehicles in case of emergency.</p>
56	<p>In basement at least two separate ramps of adequate width and slope shall be provided, located preferably at opposite ends.</p>	<p>Complied.</p> <p>Hollow plinth basement and basement facilities have been developed within the project site, with provision of at least two separate ramps of adequate width and slope, also photographs attached as below.</p>  <p style="text-align: center;">Entry of underground parking</p>

		 <p style="text-align: center;">Exit of underground parking</p>
57	Provision for adequate air changes per hour in the basement shall be made so as to avoid buildup of CO in the area.	<p>Complied.</p> <p>Jet fans were provided in the basement to ensure adequate air changes.</p>
58	Car park exhaust system equipped with CO (Carbon Monoxide) sensor shall be provided to ensure operation of exhaust fans as CO concentration levels.	Adequate exhaust system is provided in the basement as a provision for adequate air changes for the expansion project.
A.3.5 NOISE		
59	The acoustic enclosures shall be installed at all noise generating equipment such as DG set etc to mitigate the impact of noise.	<p>Complied.</p> <p>Acoustic enclosures have been provided so as to ensure noise generation as per prescribed standards.</p>
60	The overall noise level in and around the project area shall be kept well within the prescribed standards by providing noise control measures including acoustic insulation, hoods, silencers, enclosures vibration dampers etc. on all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed under the Environment (Protection) Act and Rules.	<p>Complied.</p> <p>The overall noise level & ambient noise level in and around the project area will be kept within prescribed standards. Ambient noise monitoring is being carried out on a regular basis so as to confirm The ambient noise levels confirm to the standards prescribed under the Environment (Protection) Act and Rules.</p> <p>Ambient noise monitoring analysis reports have been attached as Annexure 4.</p>
A.3.6 PARKING / TRAFFIC CONGESTION		
61	Parking space of 13,011.07 m ² [3,768.02 m ² in hollow plinth and 9,243.05 m ² in basement] shall be provided as proposed.	Complied.

62	The area earmarked for the parking shall be used for parking only. No other activity shall be permitted in this area.	Noted & Agreed. Adequate parking space has been provided, and no other activity is being carried out in the designated parking area.
63	Traffic congestion near the entry and exit points from the roads adjoining the proposed project site shall be avoided.	Noted & Complied. Traffic congestion at the entry and exit points is being effectively avoided.
64	No public space including the service road shall be used or blocked for the parking.	Noted & Agreed. Adequate parking space has been provided at the ground level. No public space including the service road will be used or blocked for the parking.
A.3.7 ENERGY CONSERVATION		
65	Energy conservation measures viz. use of CFL lamps, light colour painting in building, solar lights in common areas and internal roads, motion detection switches or times for outdoor lighting etc. are proposed shall be implemented as proposed.	Complied. The premises are equipped with LED lighting, solar panels, and solar water heaters. Additionally, light-colored paint has been applied to the buildings to enhance energy efficiency.  <div style="display: flex; justify-content: space-around; margin-top: 5px;"> Solar Panels Solar Water Heater </div>
66	The project proponent shall install energy efficient devices, appliances, motors and pumps conforming to the Bureau of Energy Efficiency norms.	Complied. Energy-efficient devices, appliances, motors, and pumps conforming to BEE norms were installed.
67	The transformers and motors shall have minimum efficiency of 85 %.	Noted and Complied.
68	Only variable frequency motor drives shall be used in the project.	Noted and Complied.
69	Solar lights shall be provided in the open sunlit areas.	Complied.
70	Use of glass shall be minimal to reduce the heat island effect as well as to reduce the electricity consumption.	Complied.
A.3.8 GREEN BELT		

71	<p>Green belt area of 5,600 m² comprising of 1,000 m² tree covered area with 140 nos. of trees shall be developed as proposed. The other open spaces inside the plot shall be suitably landscaped and covered with vegetation of indigenous tree species.</p>	<p>Complied.</p> <p>Greenbelt area of 5,600 m² containing 49 species including trees and shrubs has been developed.</p>   
72	<p>The area earmarked as green area shall be used only for greenbelt</p>	<p>Noted & Complied.</p>

	and shall not be altered for any other purpose.	The area earmarked as green space was used for plantation only and was not altered for any other purpose.
73	Drip irrigation / low-volume, low-angle sprinkler system shall be used for the lawns and other green area including tree plantation.	Complied. Drip and low-angle sprinkler irrigation systems were provided for landscaped areas and tree plantations within the project site.

B. Other Conditions

Sr. No.	EC Conditions	Compliance Status
74	All the statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Airports Authority of India etc., if applicable, shall be obtained by the project proponent from the competent authorities.	<ul style="list-style-type: none"> ▪ Fire NOC from SMC has been obtained valid for up to 2 years. ▪ Height clearance from Airports Authority of India has been obtained. ▪ B. U. C. Certificate from SMC has been obtained. Above mentioned statutory clearance have been attached as Annexure 5 .
75	The project proponent shall strictly comply with the Gujarat Building and other Construction Workers Act & Rules as well as Gujarat Lifts & Escalators Rules.	Complied. We comply with the Gujarat Building and Other Construction Workers Act & Rules. A lift operation license has also been obtained from the Chief Inspector of Lifts & Escalators, South Zone, Vadodara. Also attached as Annexure 6 .
76	The project proponent shall ensure maximum employment to the local people.	Noted & Agreed. Considering the residential nature of the colony, preference is given to local residents for housekeeping services, greenbelt maintenance, gardening work, and various other activities.
77	The project management shall also comply with all the environment protection measures, risk mitigation measures and safeguards proposed by them.	Noted & Agreed.
78	The project proponent shall also comply with any additional condition that may be imposed by the SEAC or the SEIAA or any other competent authority for the purpose of the environmental protection and management.	Noted & Agreed.
79	No further expansion or modifications in the project likely to cause environmental impacts shall be carried out without obtaining prior Environment Clearance from the concerned authority.	Noted. No further expansion or modification of the project will be undertaken without obtaining prior Environmental Clearance from the competent authority.

80	The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act,1974, Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and Hazardous Waste (Management Handling and Transboundary) Rules, 2008 along with their amendments and rules.	<p>Noted.</p> <p>With reference to the Condition no. 33 and 44 respectively provision of the Water (Prevention & Control of Pollution) Act,1974, Hazardous Waste (Management Handling and Transboundary) Rules we have submitted appropriate annexures and justification.</p> <p>Apart from that we have attached the Air Monitoring Reports as <i>Annexure 1</i> and as for the Stack Monitoring Reports has been attached as <i>Annexure 3</i> in condition no. 41.</p>															
81	The project authorities shall earmark adequate funds to implement the conditions stipulated by SEIAA as well as GPCB along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.	<p>Complied.</p> <p>Adequate funds have been provided to implement the conditions stipulated by SEIAA as well as GPCB, the provided funds will not be diverted for any other purpose.</p> <table border="1" data-bbox="786 730 1442 1121"> <thead> <tr> <th data-bbox="786 730 878 816">Sr. No.</th> <th data-bbox="878 730 1157 816">Particulars</th> <th data-bbox="1157 730 1442 816">For the Year 2025-26 (Lacs)</th> </tr> </thead> <tbody> <tr> <td data-bbox="786 816 878 903">1.</td> <td data-bbox="878 816 1157 903">STP Operation & Maintenance</td> <td data-bbox="1157 816 1442 903">23.12</td> </tr> <tr> <td data-bbox="786 903 878 989">2.</td> <td data-bbox="878 903 1157 989">Greenbelt Development</td> <td data-bbox="1157 903 1442 989">35.29</td> </tr> <tr> <td data-bbox="786 989 878 1075">3.</td> <td data-bbox="878 989 1157 1075">Housekeeping and Waste collection</td> <td data-bbox="1157 989 1442 1075">53.76</td> </tr> <tr> <td colspan="2" data-bbox="786 1075 1157 1121" style="text-align: center;">TOTAL</td> <td data-bbox="1157 1075 1442 1121" style="text-align: center;">112.18</td> </tr> </tbody> </table>	Sr. No.	Particulars	For the Year 2025-26 (Lacs)	1.	STP Operation & Maintenance	23.12	2.	Greenbelt Development	35.29	3.	Housekeeping and Waste collection	53.76	TOTAL		112.18
Sr. No.	Particulars	For the Year 2025-26 (Lacs)															
1.	STP Operation & Maintenance	23.12															
2.	Greenbelt Development	35.29															
3.	Housekeeping and Waste collection	53.76															
TOTAL		112.18															
82	The applicant shall inform the public that the project has been accorded environmental clearance by the SEIAA and that the copies of the clearance letter are available with the GPCB and may also be seen at the Website of SEIAA/ SEAC/ GPCB. This shall be advertised within seven days from the date of the clearance letter, in at least two local newspapers that are widely circulated in the region, one of which shall be in the Gujarati language and the other in English. A copy each of the same shall be forwarded to the concerned Regional Office of the Ministry.	<p>Complied.</p> <p>Advertisement for EC letter had been published in Gujarat Guardian on 22.04.2015 Indian Express on 23.04.2015 attached as <i>Annexure 7</i>.</p>															
83	It shall be mandatory for the project management to submit half-yearly compliance report in respect of the stipulated prior environmental clearance terms and conditions in hard and soft copies to the regulatory authority	<p>Noted and complied.</p> <p>Half yearly compliance report in respect of the stipulated prior environmental clearance terms and conditions is being submitted regularly to the concerned authority.</p>															

	concerned, on 1st June and 1st December of each calendar year.	
84	The project authorities shall also adhere to the stipulations made by the Gujarat Pollution Control Board.	Noted.
85	The project authorities shall inform the GPCB, Regional Office of MoEF and SEIAA about the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Noted & Complied.
86	The SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not found satisfactory.	Noted.
87	This environmental clearance is valid for five years from the date of issue.	Noted.
88	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted.

Annexures

<i>Annexure 1</i>	Ambient Air Monitoring Reports
<i>Annexure 2</i>	STP Inlet & Outlet Analysis Report
<i>Annexure 3</i>	Ambient Stack Monitoring Reports
<i>Annexure 4</i>	Ambient Noise Monitoring Reports
<i>Annexure 5</i>	Statutory Approvals
<i>Annexure 6</i>	Lift Operational License
<i>Annexure 7</i>	Advertisement for EC letter