

**SECL Coal Status Report for the month of May 2026**

Date	Monthly Coal Requisition				Daily Coal received				Cumulative Coal Received				Daily Coal Consumption				Cumulative Coal Consumption				Closing Balance				Alternate Sources' coal consumption for the day	% Usage of alternate sources' coal w.r.t. SECL coal	Blending Ratio
	SECL (Run-of-Mine)	SECL (Run-of-Mine High GCV Coal)	CIL Imp.	Total	SECL (washed)	SECL (Run-of-Mine High GCV Coal)	CIL Imp.	Total	SECL (washed)	SECL (Run-of-Mine High GCV Coal)	CIL Imp.	Total	SECL (washed)	SECL (Run-of-Mine High GCV Coal)	CIL Imp.	Total	SECL (washed)	SECL (Run-of-Mine High GCV Coal)	CIL Imp.	Total	SECL (washed)	SECL (Run-of-Mine High GCV Coal)	CIL Imp.	Total			
a	b	c	d	e = b+c+d	f	g	h	j= f+g+h	j	k	l	m = j+k+l	n	o	p	q=n+o+p	r	s	t	u=r+s+t	v	w	x	y= v+w+x	z	aa = z/q	bb = z/(z+q)
1					0	7936	0	7936	0	7936	0	7936	0	10280	0	10280	0	10280	0	10280	0	408940	0	408940	0	0%	0%
2					0	12235	0	12235	0	20171	0	20171	0	14673	0	14673	0	24953	0	24953	0	406502	0	406502	0	0%	0%
3					0	36965	0	36965	0	57136	0	57136	0	11814	0	11814	0	36767	0	36767	0	431653	0	431653	0	0%	0%
4					0	7929	0	7929	0	65066	0	65066	0	10558	0	10558	0	47325	0	47325	0	429024	0	429024	0	0%	0%
5					0	11731	0	11731	0	76797	0	76797	0	10613	0	10613	0	57938	0	57938	0	430142	0	430142	0	0%	0%
6					0	27910	0	27910	0	104707	0	104707	0	13908	0	13908	0	71846	0	71846	0	444144	0	444144	0	0%	0%
7					0	7837	0	7837	0	112544	0	112544	0	13560	0	13560	0	85406	0	85406	0	438421	0	438421	0	0%	0%
8					0	16322	0	16322	0	128867	0	128867	0	14663	0	14663	0	100070	0	100070	0	440080	0	440080	0	0%	0%
9					0	12544	0	12544	0	141410	0	141410	0	14003	0	14003	0	114073	0	114073	0	438621	0	438621	0	0%	0%
10					0	20912	0	20912	0	162322	0	162322	0	13106	0	13106	0	127178	0	127178	0	446428	0	446428	0	0%	0%
11					0	8132	0	8132	0	170455	0	170455	0	13295	0	13295	0	140473	0	140473	0	441265	0	441265	0	0%	0%
12					0	10258	0	10258	0	180713	0	180713	0	18400	0	18400	0	158874	0	158874	0	433123	0	433123	0	0%	0%
13					0	7469	0	7469	0	188182	0	188182	0	16574	0	16574	0	175448	0	175448	0	424017	0	424017	0	0%	0%
14					0	12361	0	12361	0	200543	0	200543	0	13623	0	13623	0	189071	0	189071	0	422755	0	422755	0	0%	0%
15					0	16886	0	16886	0	217429	0	217429	0	15871	0	15871	0	204942	0	204942	0	423771	0	423771	0	0%	0%
16					0	12015	0	12015	0	229445	0	229445	0	16551	0	16551	0	221493	0	221493	0	419235	0	419235	0	0%	0%
17					0	3790	0	3790	0	233235	0	233235	0	15978	0	15978	0	237471	0	237471	0	407047	0	407047	0	0%	0%
18					0	33552	0	33552	0	266787	0	266787	0	16239	0	16239	0	253710	0	253710	0	424360	0	424360	0	0%	0%
19					0	0	0	0	0	266787	0	266787	0	15688	0	15688	0	269398	0	269398	0	408672	0	408672	0	0%	0%
20					0	32756	0	32756	0	299543	0	299543	0	15327	0	15327	0	284725	0	284725	0	426101	0	426101	0	0%	0%
21					0	7966	0	7966	0	307509	0	307509	0	17482	0	17482	0	302208	0	302208	0	416584	0	416584	0	0%	0%
22																											
23																											
24																											
25																											
26																											
27																											
28																											
29																											
30																											
31																											

CIL Imp.= CIL Imported Coal

NOTE  
 1 On 01.05.2026, the opening balance of SECL Washed Coal is 0 MT, SECL High GCV ROM Coal is 411283 MT, Commercial Coal is 0 MT, NPL Imported Coal is 0 MT and E-Auction Coal is 0 MT.  
 2 SECL (Run-of-Mine High GCV Coal) includes supplies from M/s SECL, BCCL, NCL,ECL,CCL & WCL

Status Report of Coal from Alternate Sources for the month of May 2026

Date	Daily / Monthly Coal Requisition				Daily Coal received				Cumulative Coal Received				Daily Coal Consumption				Cumulative Coal Consumption				Closing Balance				SECL domestic+CIL Imported coal consumption for the day	% Usage of alternate sources' coal w.r.t. SECL coal	Blending Ratio	
	Dom. Com.	NPL Imp.	E-Auction	Total	Dom. Com.	NPL Imp.	E-Auction	Total	Dom. Com.	NPL Imp.	E-Auction	Total	Dom. Com.	NPL Imp.	E-Auction	Total	Dom. Com.	NPL Imp.	E-Auction	Total	Dom. Com.	NPL Imp.	E-Auction	Total				z
a	b	c	d	e=b+c+d	f	g	h	i=f+g+h	j	k	l	m=j+k+l	n	o	p	q=n+o+p	r	s	t	u=r+s+t	v	w	x	y=v+w+x	z	aa=q/z	bb=q/(q+z)	
1					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10280	0%	0%	
2					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	14673	0%	0%	
3					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	11814	0%	0%	
4					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10558	0%	0%	
5					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10613	0%	0%	
6					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	13908	0%	0%	
7					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	13560	0%	0%	
8					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	14663	0%	0%	
9					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	14003	0%	0%	
10					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	13106	0%	0%	
11					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	13295	0%	0%	
12					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	18400	0%	0%	
13					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	16574	0%	0%	
14					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	13623	0%	0%	
15					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	15871	0%	0%	
16					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	16551	0%	0%	
17					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	15978	0%	0%	
18					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	16239	0%	0%	
19					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	15688	0%	0%	
20					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	15327	0%	0%	
21					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	17482	0%	0%	
22																												
23																												
24																												
25																												
26																												
27																												
28																												
29																												
30																												
31																												

Dom. Com. = Domestic Commercial Coal

NPL Imp. = NPL Imported Coal

NOTE

1 On 01.05.2026, the opening balance of SECL Washed Coal is 0 MT, SECL High GCV ROM Coal is 411283 MT, Commercial Coal is 0 MT, NPL Imported Coal is 0 MT and E-Auction Coal is 0 MT.

**Biomass Non Torrefied Pellets Status Report for the month of May 2026**

Date	Daily Received	Cumulative Received	Daily Consumption	Cumulative Consumption	Closing Balance
1	851	851	851	851	0
2	1089	1940	1089	1940	0
3	1260	3200	1260	3200	0
4	1391	4591	1391	4591	0
5	1053	5644	1053	5644	0
6	1320	6964	1320	6964	0
7	1233	8197	1233	8197	0
8	812	9008	812	9008	0
9	1152	10161	1152	10161	0
10	1243	11404	1243	11404	0
11	1279	12683	1279	12683	0
12	1394	14076	1394	14076	0
13	1158	15234	1158	15234	0
14	1324	16558	1324	16558	0
15	1346	17904	1346	17904	0
16	1397	19301	1397	19301	0
17	1515	20816	1515	20816	0
18	1357	22173	1357	22173	0
19	1418	23591	1418	23591	0
20	992	24583	992	24583	0
21	1078	25660	1078	25660	0
22					
23					
24					
25					
26					
27					
28					
29					
30					
31					

1. On 01.05.2026, the opening balance of Biomass Non Torrefied Pellets is 0 MT.